



### **ARCHITECTURAL RESINS**



# **LUCERE**

### WHAT IS LUCERE?

Lucere is a collection of resin sheets featuring either encapsulated material, faux stone, deep textures, colour backing, or mirror creating sheets with unparalleled depth and clarity. Almost the entire Lucere range can be fabricated with standard wood working tools and easily installed with glass fittings, providing the perfect solution for applications where the weight and fragility of glass is problematic.

### LUCERE FEATURES

- Fabricated with standard wood working tools
- More impact resistant than glass
- Perfect for partitions, screens and lighting
- Easy to maintain

# **INDEX**

Lucere Encapsulated	
---------------------	--

Lucere Monolithic 18

Lucere Textures 22



## **LUCEREENCAPSULATED**

### WHAT IS LUCERE ENCAPSULATED?

Lucere Encapsulated is a range of poured resin sheets. The pouring process encapsulates the various materials creating a sheet with unparalleled depth and clarity. Lucere is perfect for partitions, screens and lighting applications.

### LUCERE ENCAPSULATED FEATURES

- Perfect for partitions, screens and lighting
- Fabricated with standard wood working tools\*
- Unparalleled depth and clarity
- Fully refinishable to matt or gloss

<sup>\*</sup>excluding Alchemy and Fency



## **LUCERE ENCAPSULATED SPECIFICATIONS**

SHEET SIZES 48" X 120" (1220mm x 3050mm), 48" X 96" (1220mm x 2440mm) & 39" X 78"

(2000mm x 1000mm)

Not all designs available in all sheet sizes

**THICKNESSES** ¼"(6mm), 3/8"" (9mm) & ½ (12mm)

Not all designs available in all thicknesses

SURFACE FINISH Gloss. Matt or Gloss / Matt **CUSTOMISABLE** Design - 10 sheet minimum

INDOOR / OUTDOOR Indoor use only

WET AREAS Yes - edges must be sealed

**FABRICATION** Standard wood-working tools (excluding Alchemy and Fency)

Most designs - contact your distributor for details THERMOFORMABLE

An expansion gap of 1/16" per 36" (1mm per 1 metre) of product should be INSTALLATION

allowed for when setting out your sheets. Most glass fittings can be used

Fully refinishable to Gloss or Matt **REFINISHABLE** 

LEAD TIME 8 - 10 weeks.

Express delivery is available subject to a surcharge.

In most instances, warm water, mild detergent, and a soft sponge, cloth or chamois will be enough to clean Lucere. CARE INSTRUCTIONS

**ENVIRONMENTAL INFORMATION** 

**ADDITIONAL COMMENTS** 


Easily recycled. Contact your distributor for details

1. Being handmade, slight imperfections in Lucere are deemed acceptable. These slight imperfections may include small bubbles in the interlayer or slight surface texture imperfections. Any imperfection that is not visible 36" (1 meter) away from the panel is deemed within commercial tolerance.


2. Lucere sheets may not be perfectly flat. Due to this, it is always suggested that the sheet be fully framed or mechanically fixed.

3. Natural products used in Lucere are seasonal. As such, variations in colour and density may occur between samples and the order. If this detail is critical, a sample of current stock should be produced for final approval which will add up to 3 weeks to the ordering process.

4. Lucere can be used as a splashback but NOT behind a stove or cooktop. We recommend a minimum distance of 12" (300mm) from stove or cooktop.



G58 ALCHEMY ALCHEMY



C94 CASCADE LUCENT BLACK C67 CASCADE LUCENT



CO5 CASCADE LUCENT CHOCOLATE



C27 CASCADE LUCENT



G19 ALCHEMY BRONZE









C15 CASCADE LUCENT SMOKE



C45 CASCADE LUCENT

C44 CASCADE LUCENT



C35 CASCADE LUCENT YELLOW



S-0091 WISPS WHITE





S-0084 GOSSAMER LACE

BLACK SILK



S-0085 STRANDS TAN



C47 CASCADE LUCENT

C13 CASCADE OPAQUE







C32 CASCADE OPAQUE



C93 CASCADE OPAQUE **TSAVORITE** 



C28 CASCADE TRANS GLOW

C84 CASCADE LIME



C23 CASCADE LIPSTICK



C80 CASCADE MAGENTA



CO1 CASCADE MIDNIGHT



C70 CASCADE OCEAN



CO8 CASCADE SHEER FUCHSIA




C87 CASCADE SHEER ORANGE



C77 CASCADE SHEER PINK





FF-0109 CASCADE SHEER




C12 CASCADE PUNCH



CO2 CASCADE ROUGE





C56 FILIGREE SILVER

**LUCEREENCAPSULATED** 

C311 FILIGREE WEAVE



C97 CASCADE TRANS ICE C37 CASCADE TRANS POWDER



C54 CASCADE YOKE



G14 GRASSES & REEDS AERIAL



G91 GRASSES & REEDS





G72 GRASSES & REEDS BARLEY CRIMSON



G75 GRASSES & REEDS

G93 GRASSES & REEDS TURBARY

G42 GRASSES & REEDS



G47 GRASSES & REEDS

WOODRING

G62 GRASSES & REEDS MAIZE BLUSH



G61 GRASSES & REEDS

G77 GRASSES & REEDS STRAW



G80 GRASSES & REEDS

G50 GRASSES & REEDS

MALI



G26 GRASSES & REEDS



G82 GRASSES & REEDS BARLEY BLUE



G81 GRASSES & REEDS



G85 GRASSES & REEDS



VINEYARD



G64 GRASSES & REEDS WILLOW

G52 GRASSES & REEDS

G24 GRASSES & REEDS

G34 GRASSES & REEDS SEAGRASS

MAIZE



G71 GRASSES & REEDS TUMBELWEED



G74 GRASSES & REEDS CANOPY GREEN



G13 GRASSES & REEDS CANOPY ORANGE




G12 GRASSES & REEDS FIELDGRASS

G02 GRASSES & REEDS



G22 GRASSES & REEDS

G31 GRASSES & REEDS







# **LUCEREENCAPSULATED**



G36 LEAVES SEASONAL BROWN










11



G90 LEAVES WIDSPUN





G63 GRASSES & REEDS


G17 LEAVES HABITAT




G76 LEAVES PLANUS



















C41 LUSTER FUSE GOLD



C17 LUSTER FUSE SILVER



C811 LUSTER MEDALLION


































G68 MOSAIC IRON











C73 KALEIDOSCOPE BLUE






C62 LATTICE GOLD


















13





C86 INSIGNIA TRELLIS







C34 RIPPLE LIME



J42 VENEER COUNTRY







J12 VENEER GROVE



CO4 RIPPLE ORANGE






C50 RIPPLE WHITE





J92 VENEER HEDGE





J23 VENEER KNOT



J32 VENEER TIMBER J81 VENEER HARDWOOD



Y25 STONE INCA BLUE



Y55 STONE INCA ORANGE



Y45 STONE INCA RED



Y35 STONE PHOENIX



J43 VENEER PAPERBARK





J93 VENEER PLANTATION



J91 VENEER LANDSCAPE



J72 VENEER ORCHARD



C21 TEXTILES BONDOIR




C64 TEXTILES FEATHER



J73 VENEER TERRA



J62 VENEER UNDERWOOD



J71 VENEER THICKET




J61 VENEER TINDER





C30 TEXTURES MELT WHITE



C82 TEXTURES PATENT



C711 TEXTURES THATCH





LUCEREENCAPSULATED





M-0039 WOODSLICE



M-0026 WOODSLICE CEDAR



C72 TEXTURES THATCH





C51 TEXTURES ZEBRA



S-0093 MOIRÉ MAGENTA






S-0088 MOIRÉ BLUE

15







J83 VENEER BRUSH







NT-04 PEBBLES SNOW





NT-11 PEBBLES STORMCLOUDS



YI-0013 FENCY



PRODUCT FEATURED: LUCERE PEBBLES SNOW





# LUCEREENCAPSULATED







FF-0104 TREASURE TROVE



FF-0105-1 TREASURE TROVE PLATINUM



FF-0104-1 TREASURE TROVE SATIN GOLD



# LUCEREMONOLITHIC

### WHAT IS LUCERE MONOLITHIC?

Enjoy the aesthetic of natural stone without any drawbacks. The Lucere Monolithic range combines the look and feel of stone with an incredible translucent quality to provide a product that is easy to install, can be refinished and has a stain resistant surface. Lucere Monolithic is ideal for use in a wide range of environments such as bars, hotel lobbies and restaurants.

### LUCERE MONOLITHIC FEATURES

- Fabricated with standard wood-working tools
- Perfect for screens and cladding
- Great when backlit





Y73 AZTEC DUSK











Y13 AZTEC FIRE







305 DALATI PEARL GOLD





## **LUCERE MONOLITHIC SPECIFICATIONS**

SHEET SIZES 48" X 96" (1220mm x 2440mm) **THICKNESSES** 

1/4"(6mm), 3/8" (9mm) & 1/2 (12mm) Not all designs available in all thicknesses

Matt or Gloss (depending on design) SURFACE FINISH **CUSTOMISABLE** Contact your distributor for details

INDOOR / OUTDOOR Indoor use only WET AREAS Yes - edges must be sealed Standard wood-working tools **FABRICATION** THERMOFORMABLE Contact your distributor for details

An expansion gap of  $^{1}/_{16}$ " per 36" (1mm per 1 metre) of product should be allowed for when setting out your sheets. Most glass fittings can be used INSTALLATION

REFINISHABLE Fully refinishable to gloss or matt

LEAD TIME 8 - 10 weeks.

Express delivery is available subject to a surcharge.

CARE INSTRUCTIONS In most instances, warm water, mild detergent, and a soft sponge, cloth or chamois will

be enough to clean Lucere.

**ENVIRONMENTAL** INFORMATION

ADDITIONAL COMMENTS

Easily recycled. Contact your distributor for details

1. Being handmade, slight imperfections in Lucere are deemed acceptable. These slight imperfections may include small bubbles in the interlayer or slight surface texture imperfections. Any imperfection that is not visible 36" (1 meter) away from the panel is

deemed within commercial tolerance.

2. Lucere sheets may not be perfectly flat. Due to this, it is always suggested that the sheet be fully framed or mechanically fixed.

3. Lucere can be used as a splashback but NOT behind a stove or cooktop. We recommend a minimum distance of 12" (300mm) from stove or cooktop.



## **LUCERETEXTURES**

### WHAT IS LUCERE TEXTURES?

Lucere Textures is a range of panels with a deep texture that is unable to be achieved in other translucent materials. The panels come in clear or with a green tint to closely emulate glass but are 40 times more impact resistant than glass. Lending an air of sophistication and elegance, the clear variants can even be used outdoors.

### LUCERE TEXTURES FEATURES

- 40 times more impact resistant than glass
- Easily fabricated
- Cost effective textured solution
- Custom colours/tints available



YI-0014 ALPINE CLEAR



YI-0014-1 ALPINE GREEN



YI-0018 CUBIC CLEAR



YI-0018-1 CUBIC GREEN



YI-0007 DRIPDROP CLEAR



**GREEN TINT** 



YI-0008 GLACIER CLEAR



YI-0008-1 GLACIER GREEN TINT



YI-0016 ICICLE CLEAR



YI-0016-1 ICICLE GREEN

## **LUCERE TEXTURES SPECIFICATIONS**

SHEET SIZE / THICKNESS

48" X 96" (1220mm x 2440mm) / 3/8" (9mm) Gloss or Matt

SURFACE FINISH CUSTOMISABLE

Colour - minimum order 10 sheets

INDOOR / OUTDOOR

Clear - indoor or outdoor. Coloured - indoor only

WET AREAS

**FABRICATION** THERMOFORMABLE Standard wood-working tools

INSTALLATION

An expansion gap of  $^{1}/_{16}$ " per 36" (1mm per 1 metre) of product should be allowed for when setting out your sheets. Most glass fittings can be used

REFINISHABLE

LEAD TIME 8 - 10 weeks.

Express delivery is available subject to a surcharge.

In most instances, warm water, mild detergent, and a soft sponge, cloth or chamois will be enough to clean Lucere Textures CARE INSTRUCTIONS

ADDITIONAL COMMENTS


1. Being handmade, slight imperfections in Lucere are deemed acceptable. These slight imperfections may include small bubbles in the interlayer or slight surface texture imperfections. Any imperfection that is not visible 36" (1 meter) away from the panel is deemed within commercial tolerance.

2. Lucere sheets may not be perfectly flat. Due to this, it is always suggested that the sheet be fully framed or mechanically fixed.

3. Lucere can be used as a splashback but NOT behind a stove or cooktop. We recommend a minimum distance of 12" (200mm) from stove or cooktop.

recommend a minimum distance of 12" (300mm) from stove or cooktop.







### THE INTERIOR DESIGNER'S DESTINATION

luceredesigns.com info@luceredesigns.com